

**PERRY MILLING GOAT GROWER 16% MON22.5**

**MEDICATED**

For the prevention of coccidiosis caused by *Eimeria crandallis*, *Eimeria christenseni* and *Eimeria ninakohlyakimovae* in goats maintained in confinement.

**ACTIVE DRUG INGREDIENTS**

Monensin	22.5	G/TON
<b>GUARANTEED ANALYSIS</b>		
Crude Protein	(Min)	16.0 %
This includes not more than 1.2% equivalent protein from non-protein		
Crude Fat	(Min)	2.9 %
Crude	(Max)	7.0 %
Acid Detergent	(Max)	8.0 %
Calcium	(Min) .8 (Max)	1.3 %
Phosphorus	(Min)	0.3 %
Salt	(Min) 0.1 (Max)	0.6 %
Copper	(Min) 22 (Min)	77 ppm
Selenium	(Min)	.338 ppm
Vitamin A	(Min)	3,800 IU/lb

**INGREDIENTS**

Grain products, plant protein products, processed grain by-products, molasses products, calcium carbonate, vegetable oil, ammonium chloride, salt, urea, natural flavor, artificial flavor, selenium yeast, hydrolyzed yeast, zinc proteinate, manganese proteinate, vitamin E supplement, calcium hydroxide, copper proteinate, sodium carboxymethylcellulose, roughage products, magnesium oxide, cobalt proteinate, ethylenediamine dihydroiodide, vitamin A supplement, thiamine mononitrate, vitamin D3 supplement, mineral oil.

**WARNING:** This product, which contains added copper, should not be fed to sheep or related species that have a low tolerance to copper. This product has been formulated specifically for goats and is not intended for other species.

**CAUTION: USE ASDIRECTED**

**CAUTION:** Follow label directions. The addition to feed of higher levels of this supplement containing added selenium is not permitted

**Feeding Directions:** Perry Milling Goat Grower 16% MON22.5 is a supplement for growing goats. Thoroughly mix according to the table below to provide a mixture with 20 grams per ton of Monensin. Feed this mixture continuously as the sole ration. A source of good quality hay and a constant supply of fresh, clean water is also required.

	Grower Mix
Perry Milling Goat Grower 16% MON22.5, lbs	1,777.8
Non-medicated Feedstuff, lbs	222.2
<b>Total, lbs</b>	<b>2,000</b>

**WARNING:** Do not feed to lactating goats.

**CAUTION:** Do not allow horses or other equines access to formulations containing Monensin. Ingestion of Monensin by equines has been fatal. Do not feed undiluted. Monensin medicated cattle and goat feeds are safe for cattle and goats only. Consumption by unapproved species may result in toxic reactions. Must be thoroughly mixed in feed before use. Do not exceed the levels of Monensin recommended in the feeding directions, as reduced average daily gains may result. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats.

Net Weight 50 lb (22.68 kg) or bulk invoice.

**PERRY MILLING GOAT GROWER 16% MON22.5**

**MEDICATED**

For the prevention of coccidiosis caused by *Eimeria crandallis*, *Eimeria christenseni* and *Eimeria ninakohlyakimovae* in goats maintained in confinement.

**ACTIVE DRUG INGREDIENTS**

Monensin	22.5	G/TON
<b>GUARANTEED ANALYSIS</b>		
Crude Protein	(Min)	16.0 %
This includes not more than 1.2% equivalent protein from non-protein		
Crude Fat	(Min)	2.9 %
Crude	(Max)	7.0 %
Acid Detergent	(Max)	8.0 %
Calcium	(Min) .8 (Max)	1.3 %
Phosphorus	(Min)	0.3 %
Salt	(Min) 0.1 (Max)	0.6 %
Copper	(Min) 22 (Min)	77 ppm
Selenium	(Min)	.338 ppm
Vitamin A	(Min)	3,800 IU/lb

**INGREDIENTS**

Grain products, plant protein products, processed grain by-products, molasses products, calcium carbonate, vegetable oil, ammonium chloride, salt, urea, natural flavor, artificial flavor, selenium yeast, hydrolyzed yeast, zinc proteinate, manganese proteinate, vitamin E supplement, calcium hydroxide, copper proteinate, sodium carboxymethylcellulose, roughage products, magnesium oxide, cobalt proteinate, ethylenediamine dihydroiodide, vitamin A supplement, thiamine mononitrate, vitamin D3 supplement, mineral oil.

**WARNING:** This product, which contains added copper, should not be fed to sheep or related species that have a low tolerance to copper. This product has been formulated specifically for goats and is not intended for other species.

**CAUTION: USE ASDIRECTED**

**CAUTION:** Follow label directions. The addition to feed of higher levels of this supplement containing added selenium is not permitted

**Feeding Directions:** Perry Milling Goat Grower 16% MON22.5 is a supplement for growing goats. Thoroughly mix according to the table below to provide a mixture with 20 grams per ton of Monensin. Feed this mixture continuously as the sole ration. A source of good quality hay and a constant supply of fresh, clean water is also required.

	Grower Mix
Perry Milling Goat Grower 16% MON22.5, lbs	1,777.8
Non-medicated Feedstuff, lbs	222.2
<b>Total, lbs</b>	<b>2,000</b>

**WARNING:** Do not feed to lactating goats.

**CAUTION:** Do not allow horses or other equines access to formulations containing Monensin. Ingestion of Monensin by equines has been fatal. Do not feed undiluted. Monensin medicated cattle and goat feeds are safe for cattle and goats only. Consumption by unapproved species may result in toxic reactions. Must be thoroughly mixed in feed before use. Do not exceed the levels of Monensin recommended in the feeding directions, as reduced average daily gains may result. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats.

Net Weight 50 lb (22.68 kg) or bulk invoice.

voice. **PERRY MILLING GOAT GROWER 16% MON22.5**

**MEDICATED**

For the prevention of coccidiosis caused by *Eimeria crandallis*, *Eimeria christenseni* and *Eimeria ninakohlyakimovae* in goats maintained in confinement.

**ACTIVE DRUG INGREDIENTS**

Monensin	22.5	G/TON
<b>GUARANTEED ANALYSIS</b>		
Crude Protein	(Min)	16.0 %
This includes not more than 1.2% equivalent protein from non-protein		
Crude Fat	(Min)	2.9 %
Crude	(Max)	7.0 %
Acid Detergent	(Max)	8.0 %
Calcium	(Min) .8 (Max)	1.3 %
Phosphorus	(Min)	0.3 %
Salt	(Min) 0.1 (Max)	0.6 %
Copper	(Min) 22 (Min)	77 ppm
Selenium	(Min)	.338 ppm
Vitamin A	(Min)	3,800 IU/lb

**INGREDIENTS**

Grain products, plant protein products, processed grain by-products, molasses products, calcium carbonate, vegetable oil, ammonium chloride, salt, urea, natural flavor, artificial flavor, selenium yeast, hydrolyzed yeast, zinc proteinate, manganese proteinate, vitamin E supplement, calcium hydroxide, copper proteinate, sodium carboxymethylcellulose, roughage products, magnesium oxide, cobalt proteinate, ethylenediamine dihydroiodide, vitamin A supplement, thiamine mononitrate, vitamin D3 supplement, mineral oil.

**WARNING:** This product, which contains added copper, should not be fed to sheep or related species that have a low tolerance to copper. This product has been formulated specifically for goats and is not intended for other species.

**CAUTION: USE ASDIRECTED**

**CAUTION:** Follow label directions. The addition to feed of higher levels of this supplement containing added selenium is not permitted

**Feeding Directions:** Perry Milling Goat Grower 16% MON22.5 is a supplement for growing goats. Thoroughly mix according to the table below to provide a mixture with 20 grams per ton of Monensin. Feed this mixture continuously as the sole ration. A source of good quality hay and a constant supply of fresh, clean water is also required.

	Grower Mix
Perry Milling Goat Grower 16% MON22.5, lbs	1,777.8
Non-medicated Feedstuff, lbs	222.2
<b>Total, lbs</b>	<b>2,000</b>

**WARNING:** Do not feed to lactating goats.

**CAUTION:** Do not allow horses or other equines access to formulations containing Monensin. Ingestion of Monensin by equines has been fatal. Do not feed undiluted. Monensin medicated cattle and goat feeds are safe for cattle and goats only. Consumption by unapproved species may result in toxic reactions. Must be thoroughly mixed in feed before use. Do not exceed the levels of Monensin recommended in the feeding directions, as reduced average daily gains may result. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats.

Net Weight 50 lb (22.68 kg) or bulk invoice.

