

Performance Beef Cow/Calf Grain Mix

MEDICATED

A Complete Feed for Beef Cattle.

For improved feed efficiency

T of improved feed enciency.									
ACTIVE DRUG INGREDIENT									
Monensin (as mor	50.0 g/ton								
GUARANTEED ANALYSIS									
Crude Protein			(Min)	14.0 %					
Crude Fat			(Min)	5.0 %					
Crude Fiber			(Max)	11.0 %					
Calcium	(Min)	1.0	(Max)	1.5 %					
Phosphorus			(Min)	0.4 %					
Salt	(Min)	0.2	(Max)	0.6 %					
Zinc			(Min)	150.0 ppm					
Copper			(Min)	60.0 ppm					
Selenium			(Min)	0.6 ppm					
Vitamin A			(Min)	10,000.0 IU/lb					
Vitamin E			(Min)	10.0 IU/lb					

LIST OF INGREDIENTS

Wheat Middlings, Corn, Corn Distillers Dried Grains with Solubles, Soybean Hulls, Calcium Carbonate, Molasses Products, Soybean Oil, Salt, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, Magnesium Oxide, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Thiamin Mononitrate, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Soybean Oil, Silicon Dioxide, Ethoxyquin (a preservative up to 12.0%), Butylated Hydroxyanisole (a preservative), Citric Acid (a preservative), Phosphoric Acid

FEEDING DIRECTIONS

Feed as a complete feed, along with free choice, good quality grass/alfalfa hay or feed on pasture. Feed 2 to 8 lb/head/day to provide 50 to 200 mg/head/day of Monensin (Rumensin[®]). Provide an abundant, fresh supply of water. Provide a separate source of salt, free choice. For further feeding directions consult your supplier or nutritionist.

WARNING: A withdrawal time has not been established for pre-ruminating calves. Do not use in calves to be processed for veal. CAUTION: Do not allow horses or other equines access to formulation containing Monensin. Ingestion of Monensin by equines has been fatal. Monensin medicated cattle and goat feed is safe for use in cattle and goats only. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats. Must be thoroughly mixed in feeds before use. Do not feed undiluted. Do not exceed the levels of Monensin recommended in the feeding directions as reduced average daily gains may result. If feed refusals containing Monensin are fed to other groups of cattle, the concentration of Monensin in the refusals and amount of refusals fed should be taken into consideration to prevent Monensin overdosing, LIMITATION: Feed at a rate of not less than 50 or more than 200mg/head/day in not less than 11. bo ffeed and either hand feed or mix into the ration. During the first 5 days, cattle should receive no more than 100 mg/head/day. CAUTION: This feed contains added copper, do not feed to sheep. CAUTION: Do not exceed 0.3 mg/kg of selenium in the complete feed.

<u>Manufactured By:</u> Perry Milling Feed & Supply LLC 102 West Front Street Perry, KS 66073

(785) 597-5122 No warranty of results is made due to differences in environment, genetics, health, and management. This product was made in a feed manufacturing facility that does not handle or store products containing animal protein prohibited in ruminant feed. a150r0pk tag performance beef cow calf grain mix (180622) 12/16/2022

NET WT 50 LB (22.68 kg) or BULK





For improved feed efficiency

Performance Beef Cow/Calf Grain Mix

TAKE TIME

MEDICATED

A Complete Feed for Beef Cattle.

T or improved reed enciency.									
ACTIVE DRUG INGREDIENT									
Monensin (as mo	50.0 g/ton								
GUARANTEED ANALYSIS									
Crude Protein			(Min)	14.0 %					
Crude Fat			(Min)	5.0 %					
Crude Fiber			(Max)	11.0 %					
Calcium	(Min)	1.0	(Max)	1.5 %					
Phosphorus			(Min)	0.4 %					
Salt	(Min)	0.2	(Max)	0.6 %					
Zinc			(Min)	150.0 ppm					
Copper			(Min)	60.0 ppm					
Selenium			(Min)	0.6 ppm					
Vitamin A			(Min)	10,000.0 IU/lb					
Vitamin E			(Min)	10.0 IU/lb					

LIST OF INGREDIENTS

Wheat Middlings, Com, Com Distillers Dried Grains with Solubles, Soybean Hulls, Calcium Carbonate, Molasses Products, Soybean Oil, Salt, Zinc Amino Acid Complex, Marganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, Magnesium Oxide, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Thiamin Mononitrate, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Soybean Oil, Silicon Dioxide, Ethoxyquin (a preservative up to 12.0%), Butylated Hydroxyanisole (a preservative), Citric Acid (a preservative), Phosphoric Acid

FEEDING DIRECTIONS

Feed as a complete feed, along with free choice, good quality grass/alfalfa hay or feed on pasture. Feed 2 to 8 lb/head/day to provide 50 to 200 mg/head/day of Monensin (Rumensin[®]). Provide an abundant, fresh supply of water. Provide a separate source of salt, free choice. For further feeding directions consult your supplier or nutritionist.

WARNING: A withdrawal time has not been established for pre-ruminating calves. Do not use in calves to be processed for veal. CAUTION: Do not allow horses or other equines access to formulation containing Monensin. Ingestion of Monensin by equines has been fatal. Monensin medicated cattle and goat feed is safe for use in cattle and goats only. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats. Must be thoroughly mixed in feeds before use. Do not feed undiluted. Do not exceed the levels of Monensin recommended in the feeding directions as reduced average daily gains may result. If feed refusals containing Monensin are fed to other groups of cattle, the concentration of Monensin in the refusals and amount of refusals fed should be taken into consideration to prevent Monensin overfosing. LIMITATION: Feed at a rate of not less than 50 or more than 200mg/head/day in not less than 11b. of feed and either hand feed or mix into the ration. During the first 5 days, cattle should receive no more than 100 mg/head/day. CAUTION: This feed contains added copper, do not feed to sheep. CAUTION: Do not exceed 0.3 mg/kg of selenium in the complete feed.

Manufactured By:

Perry Milling Feed & Supply LLC 102 West Front Street Perry, KS 66073 (785) 597-5122

No warranty of results is made due to differences in environment, genetics, health, and management. This product was made in a feed manufacturing facility that does not handle or store products containing animal protein prohibited in ruminant feed. a 150/0pk tag performance beef cow calf grain mix (180622) 12/16/2022

NET WT 50 LB (22.68 kg) or BULK





Performance Beef Cow/Calf Grain Mix

MEDICATED

A Complete Feed for Beef Cattle.

<u>i or improved leed entelency.</u>								
	ACTIVE D	DRUG IN	GREDIENT					
Monensin (as mo	50.0 g/ton							
GUARANTEED ANALYSIS								
Crude Protein			(Min)	14.0 %				
Crude Fat			(Min)	5.0 %				
Crude Fiber			(Max)	11.0 %				
Calcium	(Min)	1.0	(Max)	1.5 %				
Phosphorus			(Min)	0.4 %				
Salt	(Min)	0.2	(Max)	0.6 %				
Zinc			(Min)	150.0 ppm				
Copper			(Min)	60.0 ppm				
Selenium			(Min)	0.6 ppm				
Vitamin A			(Min)	10,000.0 IU/lb				
Vitamin E			(Min)	10.0 IU/lb				

LIST OF INGREDIENTS

Wheat Middlings, Corn, Corn Distillers Dried Grains with Solubles, Soybean Hulls, Calcium Carbonate, Molasses Products, Soybean Oil, Salt, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, Magnesium Oxide, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Thiamin Mononitrate, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Soybean Oil, Silicon Dioxide, Ethoxyquin (a preservative up to 12.0%), Butylated Hydroxyanisole (a preservative), Citric Acid (a preservative), Phosphoric Acid

FEEDING DIRECTIONS

Feed as a complete feed, along with free choice, good quality grass/alfalfa hay or feed on pasture. Feed 2 to 8 lb/head/day to provide 50 to 200 mg/head/day of Monensin (Rumensin[®]). Provide an abundant, fresh supply of water. Provide a separate source of salt, free choice. For further feeding directions consult your supplier or nutritionist.

WARNING: A withdrawal time has not been established for pre-ruminating calves. Do not use in calves to be processed for veal. CAUTION: Do not allow horses or other equines access to formulation containing Monensin. Ingestion of Monensin by equines has been fatal. Monensin medicated cattle and goat feed is safe for use in cattle and goats only. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats. Must be thoroughly mixed in feeds before use. Do not feed undiluted. Do not exceed the levels of Monensin recommended in the feeding directions as reduced average daily gains may result. If feed refusals containing Monensin are fed to other groups of cattle, the concentration of Monensin in the refusals and amount of refusals fed should be taken into consideration to prevent Monensin overdosing. LIMITATION: Feed at a rate of not less than 50 or more than 200mg/head/day in not less than 1 b. of feed and either hand feed or mix into the ration. During the first 5 days, cattle should receive no more than 100 mg/head/day. CAUTION: This feed contains added copper, do not feed to sheep. CAUTION: Do not exceed 0.3 mg/kg of selenium in the complete feed.

Manufactured By:

Perry Milling Feed & Supply LLC 102 West Front Street Perry, KS 66073 (785) 597-5122

No warranty of results is made due to differences in environment, genetics, health, and management. This product was made in a feed manufacturing facility that does not handle or store products containing animal protein prohibited in ruminant feed. af50r0pk tag performance beef cow call grain mix (180622) 12/16/2022

NET WT 50 LB (22.68 kg) or BULK

